

Aussie made
heaters



Only a **Coonara** woodheater
has a pedigree like this.

COONARA
The Warmest Aussie Legend



The Warmest Aussie Legend

Every new Coonara woodheater represents the next step in the tradition of Australia's Warmest Aussie Legend.

More than just another woodheater, every Coonara woodheater continues the legacy of Australia's most popular woodheating brand.

Only a Coonara
has a pedigree like



Distinctly styled Coonara woodheaters have set the pattern for others to follow.

The evolution of Coonara woodheaters is demonstrated by the current range, where innovation meets tradition and form and function deliver efficiency and pleasure.

A Coonara Woodheater is special, it is
The Warmest Aussie Legend.

Aussie made
heaters

woodheater
this.



The Warmest Aussie Legend

Coonara Compact

Freestanding



The best things come in small packages.

This was the vision that fuelled the creation of the Coonara Compact freestanding woodheater – to create a compact heater that was ideal for use in smaller spaces in terms of size and aesthetic appeal, with the ability to provide comfort and warmth for living areas up to 10 squares.*

The Compact freestanding heater achieves these expectations and is the benchmark in the evolution of compact woodheaters.

Where tradition meets innovation.

- Glass size 410mm wide 230mm high
- Optional 3 speed fan
- Colour choice - charcoal and honey glo

Dimensions

Overall: Height 660mm, Width 560mm,
Depth 490mm, Weight 96kg

***Heating Area**

Up to 100 square metres – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – 125mm from rear wall
375mm to nearest side wall
Corner installation – 175mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

Flue Kit 3.6 metre, stainless steel with decorative mesh.

warmth
& comfort

Coonara Midi Freestanding

Stunning looks and performance are trademarks of the Coonara Midi freestanding woodheater.

A stylish and distinctive mid range woodheater, the Midi freestanding heater heats up to 18 squares* and will become a design feature in your home.

Where tradition meets innovation.

- Glass size 430mm wide 225mm high
- 3 speed fan included
- Colour choice – charcoal metallic, honey glo metallic
- Optional stainless steel pedastal and heater side panels with chrome door caps

Dimensions

Overall: Height 745mm, Width 625mm, Depth 545mm, Weight 134kg.

*Heating Area

Up to 18 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – 175mm from rear wall
375mm to nearest side wall
Corner installation – 100mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

3.6 metres, stainless steel with decorative mesh.

Coonara Medium Freestanding

Lounge in comfort as the ultra smooth and quiet Coonara Medium freestanding woodheater efficiently warms up your home.

Small enough to fit beautifully into most homes with the power to heat up to 23 squares*.

Where tradition meets innovation.

- Glass size 520mm wide, 265mm high
- 3 speed fan included
- Optional gold trims, door and handle
- Optional safety door screen
- Colour choice – charcoal metallic, honey glo metallic
- Optional stainless steel pedastal and heater side panels with chrome door caps

Dimensions

Overall: Height 825mm, Width 710mm, Depth 555mm, Weight 177kg

*Heating Area

Up to 23 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – 100mm from rear wall
350mm to nearest side wall
Corner installation – 75mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

3.6 metres, stainless steel with decorative mesh.



Midi Bay

Coonara
Freestanding

Created to provide the same feeling as the freestanding Bay Window woodheater, but for smaller homes, the Coonara Midi Bay freestanding woodheater heats up to 18 squares* – it also provides a sensational view of the deep glowing embers of your fire.

Where tradition meets innovation.

- Glass size 488mm wide 225mm high
- 3 speed fan included
- Optional gold trims, door and handle
- Colour choice - charcoal metallic, honey glo metallic
- Optional stainless steel pedestal and heater side panels with chrome door caps

Dimensions

Overall: Height 765mm, Width 620mm, Depth 550mm Weight 125kg

*Heating Area

Up to 18 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – 150mm from rear wall
375mm to nearest side wall
Corner installation – 175mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

3.6 metres, stainless steel with decorative mesh.



majestic views



Optional Ashpan

Coonara Bay Window Freestanding

You enter your home and immediately experience the feeling of warmth and comfort as the soft scent of woodheating captures you. You approach the heater to view the blazing logs... and the Coonara freestanding Bay Window woodheater gives you the majestic panoramic view of the glowing fire that may inspire you... or relax you. Whichever, it's a great feeling and it's an amazing view.

Warm up to 25 squares* with this ambience enhancing heater.

Where tradition meets innovation.

- Glass size 580mm wide 288mm high
- 3 speed fan included
- Choose from the Ashpan or Ashbed model
- 220° panoramic view
- Colour choice – charcoal metallic, honey glo metallic
- Optional stainless steel pedestal and heater side panels with chrome door caps

Dimensions

Ashpan/Ashbed models: Height 850mm, Width 720mm, Depth 520mm,
Ashpan Model Weight 148kg, Ashbed Model Weight 133kg

*Heating Area

Up to 25 squares – based on open plan living area, 2.4 metre ceiling height.
Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – Ashpan 50mm from rear wall
Ashbed 100mm from rear wall
350mm to nearest side wall
Corner installation – 125mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

3.6 metres, stainless steel with decorative mesh.



The Warmest Aussie Legend

Coonara Firelite

Freestanding



Created for the King and Queen's castle.

A big heater for big homes.

Indulge yourself with the biggest woodheater in your street, perhaps state.

One of the rewards of having a large home is the ability to enjoy your home in sheer comfort. The special ambience that is created by the Coonara Firelite is one to indulge yourself in. Heating up to 30 squares. You may choose to move to the next room and the Coonara Firelite will still keep you warm.

Where tradition meets innovation.

- Glass size 580mm wide 825mm high
- 3 speed fan included
- Colour choice - metallic charcoal, honey glo metallic

Dimensions

Overall: Height 860mm, Width 825mm,
Depth 665mm Weight 210kg

Heating Area

Up to 30 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

Standard installation – 175mm from rear wall
300mm to nearest side wall
Corner installation – 75mm to nearest wall
Hearth – 300mm to front

Standard Flue Kit

3.6 metres, stainless steel with decorative mesh.

Aussie made heaters



The Warmest Aussie Legend

Coonara Compact Inbuilt

The stunning inbuilt Compact combines elegant design with space efficiency and outstanding warmth.

A compact woodheater that is ideal for use in smaller spaces in terms of size, it looks aesthetically appealing in both contemporary and traditional homes and has the ability to provide comfort and warmth for living areas up to 10 squares*.

Illustrated below fitted to an existing old style fireplace.

Where tradition meets innovation.

- Glass size 410mm wide 230mm high
- 3 speed fan included
- Colour choice - charcoal, honey glo

Dimensions

Overall: Height 645mm, Width 800mm, Depth 485mm,
Weight 86kg, Fascia Depth 70mm
Firebox Casing: Height 525mm, Width 515mm, Depth 400mm

*Heating Area

Up to 10 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

450mm from hot air outlet to underside of mantelpiece. 20mm to mantle uprights. 350mm to nearest side wall. Hearth width 803mm min to front 350mm min, Thickness 108mm.

Standard Chimney Kit

3.6 metres, stainless steel, chimney plate and cowl. Optional bends and flexi flue available for difficult installations.

space efficient comfort



Coonara Medium Inbuilt

The Coonara pedigree of innovation has created something special. The Coonara Medium inbuilt is a woodheater for homeowners that demand comfort and are unwilling to compromise on style.

Superior levels of finish means the Coonara Medium inbuilt will enhance any room in which it appears.

The Coonara Medium inbuilt woodheater heats up to 20 squares*.

Where tradition meets innovation.

- Glass size 455mm wide 250mm high
- 3 speed fan included
- Optional gold door trim
- Optional safety door screen
- Colour choice – charcoal metallic, honey glo metallic
– stainless steel trims

Dimensions

Overall: Height 715mm, Width 850mm, Depth 520mm, Weight 116kg

Fascia depth: 90mm

Firebox casing: Height 595mm, Width 650mm, Depth 410mm

*Heating Area

Up to 20 squares – based on open plan living area, 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

450mm from hot air outlet to underside of mantelpiece. 50mm to mantle uprights.

350mm to nearest side wall. Hearth width 1000mm min to front 300mm min. Thickness 108mm.

Standard Chimney Kit

3.6 metres, stainless steel, chimney plate and cowl. Bends and flexi flue available for difficult installations.

**Aussie made
heaters**



Optional Stainless Steel fascia

Only a **Coonara** woodheater
has a pedigree like this.

Coonara Bay Window Inbuilt

The Coonara Bay Window inbuilt woodheater heralds a new era in woodheating for Australian homes.

Created to provide pleasure via a majestic panoramic view of the glowing fire, the Coonara Bay Window inbuilt woodheater is the ultimate personal touch for your home. Heating up to 25 squares.

Where tradition meets innovation.

- Glass size 580mm wide 288mm high.
- 3 speed fan included
- Colour choice – charcoal metallic, honey glo metallic.

Dimensions

Overall: Height 750mm, Width 945mm, Depth 560mm, Weight 147kg
Fascia depth: 160mm
Firebox casing: Height 645mm, Width 710mm, Depth 410mm

Heating Area

Up to 25 squares – based on open plan living area, 2.4 metre ceiling height.
Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Minimum Clearance to Combustible Materials

425mm from hot air outlet to underside of mantelpiece. 75mm to mantle uprights. 350mm to nearest side wall. Hearth width 1000mm min to front 425mm min. Thickness 108mm.

Standard Chimney Kit

3.6 metres, stainless steel, chimney plate and cowl. Bends and flexi flue available for difficult installations.

warm winter heating



COONARA

The Warmest Aussie Legend

Where tradition meets innovation.

All Coonara woodheaters enjoy the following features:

- 10 year firebox warranty*
- Patented folded steel firebox
- Full width firebox opening for largest viewing area.
- 5mm thick neo ceramic self cleaning glass
- Low clearance to combustible materials for minimum floor space loss
- 3 speed fan on fan assisted models
- One touch easy - effective temperature control

Tested and Approved to:

- AS2918 – clearances to combustible materials
- AS4012 – power output and efficiency
- AS4013 – flue gas emissions
- AS/NZS1044 – electromagnetic compatibility


Fuel Requirements

For maximum performance, seasoned, dry hardwood is required. Do not use chemically treated or painted timber.


Coonara Warranty

*All current model Coonara Woodheaters are warranted to be free from defects in material or workmanship under normal use and service. The warranty of the actual firebox, excluding firebricks, gates and baffle plate is 10 years – to the initial purchaser. All other components (except accidental breakage of door glass or firebricks, where fitted) are warranted for a period of 12 months.

Flue Installation Diagram for Freestanding Woodheaters



Flue Installation Diagram for Inbuilt Woodheaters




Flue Kits – Coonara heaters are designed and tested for use with Coonara manufactured Flue kits to Australian Standard AS2918 enable the clearances to combustible materials specified. Note: It is recommended that the flue protrudes a minimum of one metre through the roof.

NO FIREPLACE NECESSARY!

With Coonara's Zero Clearance Z Box, you can install a Coonara woodheater without the need of a conventional brick fireplace and chimney.

The Z Box allows you to install your Coonara inbuilt woodheater directly onto a floor using the floor plate/hearth (floor plate/hearth can be supplied with your Z Box heater).

Detailed installation instructions, with clearances to combustible materials, are available from your Coonara dealer.



Timber framework, partially plaster board clad



Zero Clearance Box positioned in framework



Heater fitted to Zero Clearance box



Environmental & Efficiency Standards

Coonara heaters comply with Australian Standards AS/NZS 4012:1999 & AS/NZS 4013:1999 Power, Performance and Emissions.

Your Legendary Coonara dealer is:

All of the information contained in this brochure was correct at the time of printing, December 2006. However, the manufacturer reserves the right to make changes to design and specification without notice. You can confirm current designs, specifications, optional extras and financial details by consulting your nearest authorised Coonara dealer.

Please note: Due to the nature of the printing process, colours may vary from those shown in this catalogue. Ask your dealer to show you a colour sample.