

STEEL PANEL RADIATORS



HIGH PERFORMANCE AND DESIGN

Steel panel radiators are not only high performance – elegance, superb finish and design are an integral part of the completed product.

What you and your family want most from a radiator – is to create a warm and comfortable home as quickly as possible and to be economical to run. Convector fins welded directly to the waterways increase the effective heating surface area – which in turn results in a significantly quicker warm up time for your home.

If you need confirmation of quality, every De Longhi panel has a 15 year guarantee against design or manufacturing defects from the date of installation.

finishes

High gloss white, unique finish both scratch and corrosion-resistant.

measurements

Heights from 300mm to 900mm.

Widths from 400mm up to 3000mm.

Available as single, compact, double and triple panels.

For full details PTO




DE LONGHI RADIATOR OUTPUTS AND DIMENSIONS

TABLES BASED ON ΔT 60°C - MEAN WATER TEMPERATURE IN RADIATOR OF 60°C AND ROOM TEMPERATURE OF 20°C
RADIATOR OUTPUTS TO EN 442 STANDARD - NB: 400 HIGH SIZES AVAILABLE FOR ORDER (NOT IN STOCK)


Type 11 Single						Type 21 Compact					
L-nm	H-nm	300	500	600	900	L-nm	H-nm	300	500	600	900
400	kW	0.286	0.440	0.513	0.720	400	kW	0.419	0.629	0.731	1.038
500	kW	0.357	0.551	0.642	0.900	500	kW	0.523	0.786	0.918	1.294
600	kW	0.429	0.661	0.770	1.080	600	kW	0.628	0.913	1.096	1.553
700	kW	0.500	0.771	0.896	1.260	700	kW	0.733	1.100	1.278	1.812
800	kW	0.572	0.881	1.027	1.440	800	kW	0.837	1.257	1.461	2.071
900	kW	0.643	0.991	1.155	1.620	900	kW	0.940	1.415	1.644	2.330
1000	kW	0.715	1.101	1.283	1.800	1000	kW	1.046	1.572	1.828	2.589
1100	kW	0.786	1.211	1.412	1.980	1100	kW	1.151	1.729	2.009	2.847
1200	kW	0.857	1.321	1.540	2.160	1200	kW	1.256	1.886	2.192	3.105
1400	kW	1.000	1.541	1.795	2.520	1400	kW	1.448	2.200	2.557	3.624
1600	kW	1.143	1.762	2.053	2.880	1600	kW	1.638	2.515	2.922	4.142
1800	kW	1.286	1.982	2.310	3.240	1800	kW	1.834	2.829	3.287	4.659
2000	kW	1.429	2.202	2.566	3.600	2000	kW	2.028	3.144	3.653	5.177
2200	kW	1.644	2.532	2.951		2200	kW	2.407	3.615	4.200	
2400	kW	1.858	2.863	3.336		2400	kW	2.721	4.087	4.748	
3000	kW	2.144	3.303	3.850		3000	kW	3.139	4.715	5.479	

Type 22 Double						Type 33 Triple					
L-nm	H-nm	300	500	600	900	L-nm	H-nm	300	500	600	900
400	kW	0.505	0.778	0.901	1.226	400	kW	0.712	1.091	1.264	1.725
500	kW	0.631	0.972	1.128	1.533	500	kW	0.889	1.363	1.580	2.153
600	kW	0.757	1.166	1.351	1.839	600	kW	1.067	1.636	1.895	2.584
700	kW	0.883	1.361	1.576	2.146	700	kW	1.246	1.909	2.211	3.015
800	kW	1.009	1.555	1.802	2.453	800	kW	1.423	2.181	2.527	3.446
900	kW	1.136	1.750	2.027	2.759	900	kW	1.601	2.454	2.843	3.878
1000	kW	1.262	1.944	2.252	3.066	1000	kW	1.779	2.727	3.159	4.307
1100	kW	1.388	2.139	2.477	3.372	1100	kW	1.957	2.999	3.475	4.738
1200	kW	1.514	2.333	2.702	3.679	1200	kW	2.135	3.272	3.791	5.168
1400	kW	1.766	2.722	3.153	4.292	1400	kW	2.491	3.817	4.423	6.030
1600	kW	2.019	3.111	3.603	4.905	1600	kW	2.846	4.363	5.055	6.891
1800	kW	2.271	3.499	4.054	5.518	1800	kW	3.202	4.908	5.686	7.752
2000	kW	2.523	3.888	4.504	6.131	2000	kW	3.558	5.453	6.318	8.614
2200	kW	2.902	4.472	5.180		2200	kW	4.092	6.271	7.266	
2400	kW	3.280	5.055	5.855		2400	kW	4.625	7.089	8.214	
3000	kW	3.785	5.832	6.758		3000	kW	5.337	8.180	9.477	

STANDARD BRACKETS SUPPLIED WITH DE LONGHI RADIATORS



INSTRUCTIONS FOR PLACEMENT OF NOGGINS FOR DE LONGHI STEEL PANEL RADIATORS





wignells

of melbourne since 1949

THE HOME OF QUALITY HEATING & COOKING SYSTEMS

430 Johnston Street, Abbotsford, Vic. 3066

Specialising in French Fireplaces and servicing all of Melbourne

Visit their showroom to view their great range.

(03) 9417 3315 www.heatingmelbourne.com.au