



THURLö

ALFRESCO LIVING



All you need for a perfect day out

With today's alfresco areas becoming more complex, ventilation is becoming one of the most important design considerations. As barbecues continue to increase in size and complexity, with heat outputs in excess of 110 mega joules, careful planning with regard to correct ventilation is essential.



THURLÖ






Life is getting easier and more enjoyable with the latest designs and trends in outdoor living and entertaining.



On display we showcase
some great outdoor areas
for today's modern living.



ALFRESCO LIVING



outside

inside



Entertaining all year round made easy in your indoor/
outdoor Alfresco area and with the correct barbecue and
rangehood it makes everything for a perfect day.





SUMMERTIME AND THE LIVING IS EASY



Using the Thurlö Hotplate for breakfast or brunch is the easy way for cooking bacon and eggs or fish fillets.

Also scallops, minute steaks and chicken satays are done quickly without any mess. Thurlö is also suitable for burgers, sausages and pancakes for the kids.





ALFRESCO LIVE
opens up a whole new world



**With a well designed and set out
Alfresco area everything is at hand.**





Correct ventilation allows full use of all the facilities with the latest Alfresco designs.





Everyone can enjoy the easy outdoor atmosphere.

**Even in a garden setting, the smoke will linger and won't go away if there is no wind.
With a Condor Rangehood this problem is eliminated.**



Barbecues

- Gas
- Electric
- Charcoal
- Heat Beads
- Wood fired Ovens





Alfresco areas provide a very relaxed way of entertaining.

Set up properly, the whole family and friends can enjoy Alfresco living.





With the complete set up it makes entertaining easy.





The choices are never ending -
High performance cookers
Elaborate Barbecues
AND NOW WITH specially made Alfresco dishwashers,
refrigerators and highly efficient rangehoods that are very
quiet in operation, the outdoor kitchen is complete.

All you need for outdoor living







**Near the waters edge,
everything should
be stainless steel
including the burners.**









The whole family joins in.



All you need for a
PERFECT DAY






THURLö







ALFRESCO LIVING

Live inside out

Simplicity is evident in the convenience of an uncomplicated lifestyle in a perfectly appointed alfresco dining area. The AERO barbecue has all the features necessary to enhance any outdoor living area.



Made in Ringwood,
Australia 3134



AERO barbecues

AERO barbecues are designed and made to be used in all alfresco areas ensuring there will be no residual smoke or odours.



The lid on the AERO barbecue lifts up to an angle of 90 degrees to the cooking surface, to allow the release of the by-products of cooking to be unimpeded by the barbecue lid. As the by-products of cooking is predominantly smoke, it is imperative that they are captured by the rangehood above.

For a mega joule output of 80, the air movement of the fans must be greater than the updraft from the cooking surface. When utilising the winning combination of the AERO barbecue and the CONDOR rangehood above, you will always achieve the perfect result.



On the left is the Exlan hotplate which has a non stick surface for even cooking. When cooking fish, it will not discolour, so it cooks and is evenly browned on each side. Once the hotplate is cooled it can be wiped clean with a damp cloth. On the right is the open flame grill. The bars are square rods on a 45 degree angle so the meat or chicken will not stick to the rods and the fat runs down to the base.




Above is the control knob for the burners and the piezo ignition. The thermometer informs you as to what is happening inside when the lid is down.



1



2



3

1. Large rubber tyres for easy movement around the patio.
2. Exclusive air struts enable you to lift the lid with one finger.
3. Stainless Steel hinges for strength and reliability.
4. Stainless Steel burners that will not rust even in salt air.
5. Stainless Steel grill is fitted with a 45 degrees square rod with the edge facing up.
6. Exclusive Exlan non-stick hotplate is easily cleaned by wiping with a damp cloth.



4



5



6

- Available in Natural or LP gas
- Delivered as ordered in either Natural or LP gas
- Delivered completely made up so there is no assembly required
- Gas struts for ease of lifting the lid
- Can be built in or used on a trolley
- Piezo ignition to all burners
- Heat output of 80 mega joules

Completely Stainless Steel

- Stainless Steel gas burner
- Stainless Steel spill tray
- Stainless Steel hinges
- Stainless Steel gas struts
- Stainless Steel grill and flame tamer








AERO Barbecue is so easy to use and move about. The lid can be lifted with one finger, and the temperature is controlled by air being drawn in at the back through the large vents and the vents in the AERO name.

The AERO cover fits neatly over the barbeque and trolley. There is also one available to fit the barbeque only.



Another feature is the stainless steel flat plate which is 10 cm thick which retains high heat for perfect results. This plate is optional.









Dimensions shown are accurate at the time of printing.


Condari Pty Ltd reserves the right to change specifications without notice.



Gas connection is at the back on the left hand side when you stand in front of the barbecue.



Condari Pty Ltd reserves the right to change specifications without notice.



Alfresco living with **MODERN CLASSIC DESIGN**

A new era and approach to simple outdoor dining. The Thurlö hotplate makes alfresco dining easy with everything grilled on a sleek, stainless steel plate which is safe and flameless.



THURLÖ



The Thurlö hotplate is perfect for a patio or balcony in any high rise apartment block.

Shown here is the portable cupboard stand which can be moved for cooking.

This stand can be priced on application.



THURLÖ

Thurlö comes in 6 models

■ 4 rectangular

■ 2 circular to satisfy every situation

Thurlö Hotplates are available in different sizes to suit every need.

- Solid Stainless Steel Grill Top
- Made from Stainless Steel type 304. Cold pressed and hand welded
- 10 different heat settings with analog temperature control
- Contact heat from 65 to 210c
- Sealed heating element enclosure
- Electrical connection 240 VOLT 10 AMP
- Warm up time 2 to 4 minutes
- Cool down time 15 to 30 minutes



Model CNO 51/2



Model CNO 61/2



Model CNO 80/2



Model CNO 111



Model CMO-60/2 and Model CMO-70/2

Hotplates are shown in a timber bench top finish, but they can be built into any style of bench top, even granite.


* Timber bench surround not included. Shown for display purpose only.

Cooking is so easy with 10 different heat settings from 65 to 210c. From searing steaks to evenly cooking fish or bacon and eggs for breakfast. And for the children, pancakes and hash browns.

Heat is only transmitted into the cooking centre not to the surrounding areas, for added safety.




THURLÖ



Orange light goes off when the temperature is reached

The Thurlö hotplate is a flat stainless steel surface. When the control is turned to the setting required, a physical reaction of specially formed and pressed stainless steel with electric heat causes the temporary thermal expansion of the steel down towards the heat source, forming a shallow cooking surface.

When turned off it cools and reverts to a perfectly flat surface and this then doubles as workspace.



Green light demonstrates the hotplate is turned on.

There are 10 different settings.

Ultra-Slim Built-in Hotplates

4cm built-in depth



CMO 60/2 600

diameter (60cm) 4cm H

CMO 70/2 700

diameter (70cm) 4cm H

Rectangular – Single Burner



CNO 51/2 380W x 510D

(51 x 38 x 4cmH)


CNO 61/2 610W x 450D

(61 x 45 x 4cmH)

CNO 80/2 800W x 600D

(80 x 60 x 4cmH)

Dual Burner



CNO 111 1120W x 610D

(111.8 x 60.9 x 4cm)

Electrical connection 10 AMP – 240 VOLT
with 10 heat selections.



CONDOR

RANGEHOODS

Condor Rangehoods are designed and manufactured in Australia to compliment all alfresco and outdoor areas. The latest design in outdoor entertaining can now become truly viable with the addition of a Condor Rangehood. The Condor Rangehood will remove all by-products of outdoor cooking – smoke, grease and odours.

Many barbecues installed in alfresco areas can be quite elaborate and exotic. They can include different cooking appliances, such as side burners, wok burners and rotisserie spikes, and are available in natural and LP gas. Significantly, they can generate an enormous amount of smoke and odours.

The barbecues available in today's market place can produce an output of up to 130 mega joules. The air movement of the exhaust system must be greater than the updraft caused by the burners of the barbecue. The Condor Rangehood achieves this via 3 forward curved centrifugal fan motors with a maximum air movement of 2550 cubic metres of air per hour. This is matched by an incomparable degree of quietness, which is achieved by fully insulating the rangehood with sound-deadening material.

Condor Rangehoods are made in Ringwood 3134

There are 7 different Condor Rangehoods
and all are listed below:

1. **Baltimore** comes in three sizes

2. **Boston** comes in three sizes

3. **Balmoral** comes in three sizes

4. **Cubica** comes in eight sizes:

3 Wall mounted sizes

3 Undercupboard sizes

2 Island sizes

5. **Darlington** comes in two sizes

6. **Falcon** comes in two sizes



Baltimore



Boston



Balmoral



Cubica



Darlington



Falcon



CONDOR


RANGEHOODS




Baltimore

This rangehood comes in three models at 1000, 1200 and 1500mm long by 800mm deep. This hood is made to be installed against a wall. The hood is normally top ducted and can be back ducted through the flue. Switches are on the front of the hood. The flue supplied with the hood is either 600, 900 or 1200mm long.



Top Ducted



Back Ducted



Top Ducted



Back ducted models - The flue is made to order.

The flue supplied with Baltimore rangehoods are Model No. DL-BC and come in lengths of 600, 900 or 1200mm lengths.

Electrical connection is to be at the junction box inside the rangehood. All Baltimore rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Lights are LED strip type.



Model	Body Width 'A'	No. of Lights	Light Centres	No. of Filters	Filter Size
BAL 1000L-3	1000mm	2	436mm	6	290 x 290mm
BAL 1200L-3	1200mm	2	545mm	8	272 x 290mm
BAL 1500L-3	1500mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.



Boston

This rangehood comes in three models at 1000, 1200 and 1500mm long by 800mm deep. This hood is made to be installed against a wall. The hood is normally top ducted and can be back ducted through the flue. Switches are on the front of the hood. The flue supplied with the hood is either 600, 900 or 1200mm long.



Back ducted models - The flue is made to order.

The flue supplied with BCM rangehoods are Model No. DL-BC and come in lengths of 600, 900 or 1200mm lengths.

Electrical connection is to be at the junction box inside the rangehood. All BCM rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Lights are LED strip type.

Model	Body Width 'A'	Fanbox Width 'B'	No. of Lights	Light Centres	No. of Filters	Filter Size
BCM 1000L-3	1000mm	800mm	2	436mm	6	292 x 290mm
BCM 1200L-3	1200mm	1000mm	2	545mm	8	272 x 290mm
BCM 1500L-3	1500mm	1300mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.



CONDOR


RANGEHOODS




Balmoral

This rangehood comes in three models at 1000, 1200 and 1500mm long by 800mm deep. This hood is made to be installed against a wall. The hood is normally top ducted and can be back ducted through the flue. Switches are on the front of the hood. The flue supplied with the hood is either 600, 900 or 1200mm long.



Top Ducted



Back Ducted



Top Ducted



Back ducted models - The flue is made to order.

The flue supplied with BSF rangehoods are Model No. DL-BC and come in lengths of 600, 900 or 1200mm lengths.

Electrical connection is to be at the junction box inside the rangehood. All BSF rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Lights are LED strip type.

Model	Body Width 'A'	No. of Lights	Light Centres	No. of Filters	Filter Size
BSF 1000L-3	1000mm	2	436mm	6	290 x 290mm
BSF 1200L-3	1200mm	2	545mm	8	272 x 290mm
BSF 1500L-3	1500mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.



Cubica


This rangehood comes in three models:

1. Wall mounted with switches on the right hand side of the rangehood
2. Undercupboard Unit with switches on the front of the rangehood
3. Island Unit with switches on the right hand side of the rangehood

The wall and undercupboard models come in 1000, 1200 and 1500mm wide while the island model comes in 1200 and 1500mm wide.

All rangehoods have three motors.

Wall Mounted Cubica



Maximum height: 1160mm

Minimum height: 500mm

Electrical connection is to be at the junction box inside the rangehood. All Cubica rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Lights are LED strip type.

Model	Body Width 'A'	No. of Lights	Light Centres	No. of Filters	Filter Size
C 1000L-3	1000mm	2	436mm	6	290 x 290mm
C 1200L-3	1200mm	2	545mm	8	272 x 290mm
C 1500L-3	1500mm	3	459mm	6	459 x 290mm


WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.



CONDOR

RANGEHOODS

Island Cubica




Maximum height 1160mm
Minimum height 500mm

LED lights. Electrical connection is to be at the junction box inside the rangehood. All Island Cubica Rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the Alfresco area.

Model	Body Width	Mounting Centres	No. of Lights	Light Centres	No. of Filters	Filter Size
ICU 1200L-3	1200mm	1100mm	2	544mm	8	272 x 290mm
ICU 1500L-3	1500mm	1400mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.

Under cupboard Cubica – Available as Top Ducted only



3 fans. LED lights. Electrical connection is to be at the junction box inside the rangehood.





Model	Body Width 'A'	Fanbox Width 'B'	Fixing Points	No. of Lights	Light Centres 'C'	No. of Filters	Filter Size
CUB 1000L-3	1000mm	950mm	720mm	2	580mm	6	290 x 290mm
CUB 1200L-3	1200mm	1150mm	920mm	2	544mm	8	272 x 290 mm
CUB 1500L-3	1500mm	1450mm	1220mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.



Darlington

This rangehood comes in two models at 1200 and 1500mm long. This is an island hood and has flat ends and a curved front and back. It is supplied with an implement rail and the switches are underneath at the front.



Minimum Height – 500mm
Maximum Height – 1160mm

LED Lights

Electrical connection is to be at the junction box inside the rangehood. All Darlington Rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Model	Overall Width	Body Width	Mounting Centres	No. of Lights	Light Centres	No. of Filters	Filter Size
DAR 1200L-3	1300mm	1200mm	1035mm	4	580mm	8	272 x 290mm
DAR 1500L-3	1600mm	1500mm	1335mm	4	730mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.






CONDOR

RANGEHOODS

Falcon

This rangehood comes in two sizes at 1200 and 1500mm long by 800mm deep. This is an island hood and the height is variable. Switches are on the front of the hood.



Maximum height 1300mm
Minimum height 480mm

LED Lights

Electrical connection is to be at the junction box inside the rangehood. All Falcon Rangehoods have 3 fans to ensure all smoke from the barbecue is removed from the alfresco area.

Lights are LED strip type.


Model	Body Width	Fanbox Width	Mounting Centres	No. of Lights	Light Centres	No. of Filters	Filter Size
FAL 1200L-3	1200mm	1000mm	900mm	2	580mm	8	272 x 290mm
FAL 1500L-3	1500mm	1300mm	1200mm	3	459mm	6	459 x 290mm

WARNING: Dimensions shown are accurate at time of printing but CONDARI reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker / builder / kitchen designer for exact measurements.

Ventilation Systems Ducted Systems


All ducting pieces are made in Zinc Alume, Stainless Steel, Colourbond material or are powderkoted in a colour.

400. DL-4




400. DL-4
400. DL-4 SS
400. DL-4 CP

401. HB 450x250




401. HB 450 x 250
401. HB 450 x 250 SS
401. HB 450 x 250 CP

402. VB 450x250




402. VB 450 x 250
402. VB 450 x 250 SS
402. VB 450 x 250 CP

403. HB 450x250/45




403. HB 450 x 250/45
403. HB 450 x 250/45 SS
403. HB 450 x 250/45 CP

404. VB 450x250/45



404. HB 450 x 250/45
404. HB 450 x 250/45 SS
404. HB 450 x 250/45 CP

405. BD/WV-H 450x250



405. BD/WV-H 450 x 250
405. BD/WV-H 450 x 250 SS
405. BD/WV-H 450 x 250 CP




CONDOR

RANGEHOODS

Ventilation Systems Ducted Systems


All ducting pieces are made in Zinc Alume, Stainless Steel, Colourbond material or are powderkoted in a colour.

406. BD/WV-V 450x250




406. BD/WV-V 450 x 250
406. BD/WV-V 450 x 250 SS
406. BD/WV-V 450 x 250 CP

407. RCB




407. RCB
407. RCB SS
407. RCB CP

408. RCBA




408. RCBA
408. RCBA SS
408. RCBA CP

409. WVC-H-450x250



409. WVC-H-450 x 250
409. WVC-H-450 x 250 SS
409. WVC-H-450 x 250 CP

410. WVC-V-450x250



410. WVC-V-450 x 250
410. WVC-V-450 x 250 SS
410. WVC-V-450 x 250 CP

WARNING

Dimensions shown are accurate at the time of printing but Condari reserves the right to change specifications without notice. For building purposes the unit should be provided to the cabinet maker/builder/ kitchen designer for exact measurements.

In an Alfresco area Condari now offers three settings making the choice simple for complete satisfaction for your family and entertainment area.

The benchtop is stainless steel type 304 and the frame is in the same material. The timber used is Merbau and is known for being durable and retaining it's colour for a long time even in harsh conditions.


This solves the problem of making all the individual decisions to set up your new Alfresco area. All you have to do is select the dimension required and just sit back and wait for delivery.



CON CAB-3000 - 3 metres long



CON CAB-1700 - 1.7 metres long



CON CAB-2500 - 2.5 metres long

Frequently Asked Questions

Q. What is the difference between a Condor Rangehood and a domestic Qasair Rangehood?

A. Qasair Rangehoods are designed to go over all the domestic cookware available on the Australian market.

Q. Are the fans stronger in a Condor Rangehood?

A. No, they are the same as in the Qasair Rangehoods but there are three fans in the Condor providing an air movement up to 2550 cubic metres per hour. Also the depth provides for a greater filter area.

Q. Are Condor Rangehoods quiet?

A. Yes, because at a party the barbecue may be in operation for 45 minutes to an hour. So we have insulated them so they are very quiet. Normal conversation can be carried on while cooking.

Q. Why are the switches on the front of the hood?

A. This is because of the heat in the updraft from the barbecue.

Q. Can the Condor Rangehood be made in marine grade stainless steel?

A. Yes but we believe the additional cost is not worth it as the type 304 stainless steel is adequate. If by the sea, then wipe the hood with vegetable oil and this will keep corrosion at bay.

Q. Why buy an AERO Barbecue when there are so many others on the market?

A. AERO Barbecue's are made in Ringwood 3134 and they have a heat output of 80 mega joules which is a real barbecue.

Q. Will the AREO Barbecue rust near the sea?

A. All metal are subject to corrosion including stainless steel but the AERO is all stainless steel including the burners, so it will last a lot longer.

Q. Is the AERO Barbecue easy to use?

A. Yes, it is very easy to use and with air struts on either side of the lid, you can lift it with one finger.

Q. Will the barbecue smoke out our new alfresco area?

A. No, because the lid lifts at right angles to the hotplate so the smoke rises vertically and not at 60 degrees to the horizontal directly into the chef's face.

Q. What is that black plate?

A. That is a special Exlam non stick plate so chicken and fish can be cooked perfectly without going black from the hotplate. Once cooled, it can be wiped clean with a damp cloth.

Q. Why are the bars on the grill on an angle?

A. They are fitted like this so the meat is on the minimum surface area and will not stick to the cooking surface.



Q. What is the advantage of a Thurlö Hotplate?

A. Easy and simple to use and being electric with 10 heat settings, for exact temperature adjustment to allow for all different menus to be prepared.

Q. Is the Thurlö quick to heat up?

A. Warm up time 2 to 4 minutes.

Q. Can you cook everything on the Thurlö?

A. From searing steaks to pancakes and hash browns for the children.

Q. Can it be used as a work station?

A. When cold it can be used for cutting and preparing foods.

Q. Is it easy to install?

A. Very simple. It just drops into a hole in the bench top and plugs into a 10 amp general purpose outlet.



Printed in Melbourne Australia 08/13



THURLÖ



MANUFACTURED IN AUSTRALIA
BY CONDARI PTY LTD
TEL: 1300 360 563

Head Office

TEL: +61 3 9482 7088 FAX: +61 3 9482 7011
EMAIL: sales@qasair.com.au
WEBSITE: www.qasair.com.au www.condari.com.au

YOUR DISTRIBUTORS

VIC / TAS Email: sales@qasair.com.au
Phone: 03 9482 7088 Fax: 03 9482 7011
NSW / ACT Email: salesnsw@qasair.com.au
Phone: 02 9316 4599 Fax: 02 9316 9299
QLD Email: salesqld@qasair.com.au
Phone: 07 3423 3503 Fax: 07 3282 9122
SA / NT Email: salessa@qasair.com.au
Phone: 1300 360 563 Fax: 03 9482 7011
WA Email: saleswa@qasair.com.au
Phone: 08 9242 5387 Fax: 08 9201 0887

New Zealand

Kitchen Appliance Specialists Ltd
320 Manchester Street
Christchurch New Zealand
TEL: +64 3 379 1188 FAX: +64 3 365 5623

Kouzina Appliances

155 The Strand
Parnell Auckland New Zealand
TEL: +64 9 377 7822 FAX: +64 9 377 7824

Singapore

Eldric Marketing Pte Ltd
176 Orchard Road
#05-03 Centrepont Singapore
TEL: +65 6 339 1188 FAX: +65 6733 8133

5 Pereira Road

#02-01 Asiawide Industrial building Singapore
TEL: +65 6 743 8388 FAX: +65 6 743 0202



Condari reserves the right to change specification without notice.